

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

FIGURE 1

DVR Subfamily	TGFβ Subfamily	Activin/Inhibin Subfamily	GDNF Subfamily	Distant Members
Nodal Xenopus laevis nodal related [Xnr] 1-3 BMP2, 3, 3b, 4, 5, 6, 7, 8, 8b, 9, 10, 11, 15 dpp-c GDF1, 2, 3, 5, 6, 7, 8, 9, 9b, 10, 11 60A derriere Vg1 OP1, 2 Dpp Vgr1	TGFβ1 TGFβ2 TGFβ3 TGFβ4 TGFβ5	Activin βA Activin βB Activin βC Activin βD Activin βE Inhibin α	Artemin GDNF Neurturin Persephin	Müllerian inhibiting substance (MIS), or anti-Müllerian hormone (AMH) GDF15 Lefty1, 2

FIGURE 2




Figure 3




Figure 4




Figure 5






Figure 6

E14K (naïve)

C8 (Smad4^{-/-})



CHG 79 (Cripto^{-/-})

